

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	230	lamp near40 (burner bulb) near40 (cap base) near40 shap\$3 near40 (chang\$3 deform\$3 form\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/06 10:19
L6	1	"4950942".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/06 10:42
L7	88	lamp near40 (burner bulb) near40 (cap base) near40 shape near10 (chang\$3 deform\$3 form\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/06 10:44
L8	4	L7 and injection	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/06 10:44
L9	24432	(313/422,493,634,607,484,485,514,515,519,633,631,491,483,475,473,56,169.4,627-643,567,111-117,25-27,318.01-318.09,153-162).ccls. (439/615,739).ccls. (445/24,26,29,22).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/06 10:45
L10	8873	L9 and @ad<"20031003"	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/06 10:45
L11	3443	L10 and lamp and (cap base)	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/06 10:45
L12	72	L11 and "injection molding"	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/06 10:45
S1	16884	(313/627-643,567,111-117,25-27,318.01-318.09 439/615,739 445/24,26,29,22).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/28 09:49
S2	24418	(313/422,493,634,607,484,485,514,515,519,633,631,491,483,475,473,56,169.4,627-643,567,111-117,25-27,318.01-318.09,153-162).ccls. (439/615,739).ccls. (445/24,26,29,22).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/28 09:52
S3	8871	S2 and @ad<"20031003"	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/28 09:53
S4	3443	S3 and lamp and (cap base)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/28 09:55
S5	0	S4 and ((cap base) with ("break away"))	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/28 09:55
S6	36	S4 and ((cap base) with break)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/28 09:56
S7	0	S2 and (("break near2 away") with (cap base))	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/28 10:05
S8	85	S2 and ((removable) with (cap base))	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/28 10:05
S9	0	S2 and ("removable tab")	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/28 10:07
S10	130	S2 and (tab with (cap base))	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/28 10:08
S11	24420	(313/422,493,634,607,484,485,514,515,519,633,631,491,483,475,473,56,169.4,627-643,567,111-117,25-27,318.01-318.09,153-162).ccls. (439/615,739).ccls. (445/24,26,29,22).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 10:25
S12	8872	S11 and @ad<"20031003"	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 10:25

S13	3443	S12 and lamp and (cap base)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 10:25
S14	0	S13 and ((cap base) with ("removable tab"))	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 10:25
S15	0	S13 and (("removable tab") (break\$1away with tab) (snap\$1off with tab))	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 10:29
S16	24420	(313/422,493,634,607,484,485,514,515,519,633,631,491,483,475,473,56,169.4,627-643,567,111-117,25-27,318.01-318.09,153-162).ccls. (439/615,739).ccls. (445/24,26,29,22).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 12:00
S17	8872	S16 and @ad<"20031003"	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 12:00
S18	3443	S17 and lamp and (cap base)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 12:00
S19	24420	(313/422,493,634,607,484,485,514,515,519,633,631,491,483,475,473,56,169.4,627-643,567,111-117,25-27,318.01-318.09,153-162).ccls. (439/615,739).ccls. (445/24,26,29,22).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 13:05
S20	8872	S19 and @ad<"20031003"	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 13:05
S21	7	S20 and ((breakaway)(break near1 away))	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 13:05
S22	4835	S20 and (removable (tab element tongue))	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 13:07
S23	1	S20 and (removable near1 (tab element tongue))	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 13:08
S24	0	339/50.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 13:10
S25	7	((lamp and (cap base)) and ((breakaway)(break near1 away))	EPO; JPO; DERWENT	OR	ON	2008/04/30 13:34
S26	2	((lamp and (cap base)) and (removable near1 (tab element tongue))	EPO; JPO; DERWENT	OR	ON	2008/04/30 13:38
S27	2722662	(lamp burner cap lampholder shape determines type connected assembled breaking break away row).dm.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 13:40
S28	1	(lamp burner cap lampholder shape determines type connected assembled breaking break away row).dm.	US-PGPUB; USPAT; USOCR	AND	ON	2008/04/30 13:41
S29	566	313/118.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 13:44
S30	0	313/318.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 13:46
S31	57552	((cap base) near1 compress\$3) ((cap base) near1 deform\$3) ((cap base) near1 press\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 14:00

S32	1703	S31 and lamp and @ad<"20031003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 14:01
S33	47267	S17 and ((cap base) near1 compress\$3) ((cap base) near1 deform\$3) ((cap base) near1 press\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 14:01
S34	103	S17 and (((cap base) near1 compress\$3) ((cap base) near1 deform\$3) ((cap base) near1 press\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 14:03
S35	1	lamp near40 burner near40 cap near40 shape near40 (chang\$3 deform\$3 form\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 14:25
S36	2	lamp near40 burner near40 (cap base) near40 shape near40 (chang\$3 deform\$3 form\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 14:26
S37	2	lamp near40 burner near40 (cap base) near40 shap\$3 near40 (chang\$3 deform\$3 form\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 14:28
S39	88	lamp near40 (burner bulb) near40 (cap base) near40 shape near10 (chang\$3 deform\$3 form\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 14:29
S40	47	S39 and @ad<"20031003"	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 14:30
S41	108757	"362".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 14:48
S42	16	S40 and "362".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/30 14:49

5/ 6/ 2008 11:39:56 AM
C:\Documents and Settings\draleigh\My Documents\EAST\Workspaces\10577112.wsp